		Print	Reset		
Arkansas Medicaid Prescription Drug Program					
Hepatitis C Virus (HCV) Medication Therapy Request Sheet					
Fax completed form and re	quired document	ation to Empower Healthcare Solutions			
Fax this form to 1-866-546	-0484	For questions, call 844-865-7829			
If the following information is not complete, correct, or legible, the prior authorization (PA) process can be delayed. Please use one form per beneficiary. Information contained in this form is Protected Health Information under HIPAA.					
	Preferred: Zepatier® (elbasvir and grazoprevir); velpatasvir and sofosbuvir (generic for Epclusa®); Mavyret® (glecaprevir and pibrentasvir tablet); Ribavirin 200 mg capsule and tablet				
BENEFICIARY INFORMATION					
Beneficiary Last Name:					
Beneficiary First Name:					
		Date of Birth:			
PRESCRIBER INFORMATION					
Prescriber Last Name:					
Prescriber First Name:					
		Specialty:			
		Prescriber Fax:			
DRUG INFORMATION					
Drug Name:		Drug Strength:			
		Dosing Frequency:			
Drug And Length of Therapy	HCV Popula	ation (Choose one that applies.)			
ZEPATIER + RBV x 16 wks.	🗌 GT-1a;	CPS-A, TN or TE-PR, + RAV Resistance			
ZEPATIER x 12 wks.	🗌 GT-1a;	CPS-A, TN or TE-PR, - RAV Resistance			
ZEPATIER + RBV x 12 wks.	GT-1a; CPS-A, TE-PR+PI, - RAV Resistance				
ZEPATIER x 12 wks.	GT-1b; CPS-A, TN or TE-PR				
ZEPATIER + RBV x 12 wks.	GT-1b; CPS-A, TE-PR+PI				
ZEPATIER x 12 wks.	🗌 GT-4; C	CPS-A, TN			
ZEPATIER + RBV x 16 wks.	🗌 GT-4; C	CPS-A, TE-PR			
EPCLUSA x 12 wks.	Any GT; TN, or TE-PR, or TE-PR+PI, CPS-A				
EPCLUSA + RBV x 12 wks.	Any GT; TN, or TE-PR, or TE-PR+PI, CPS-B or CPS-C				
MAVYRET x 8 wks.	GT-1, 2, 3, 4, 5, or 6; TN, CPS-A				
MAVYRET x 8 wks.	🗌 GT-1, 2	, 4, 5, or 6; TE-PRS ³ , No Cirrhosis			
MAVYRET x 12 wks.	🗌 GT-1, 2	, 4, 5, or 6; TE-PRS ³ , CPS-A			
MAVYRET x 12 wks.	GT-1; TE-NS3/4A-PI ² , CPS-A				
MAVYRET x 16 wks.	MAVYRET x 16 wks.				
MAVYRET x 16 wks.	GT-3; TE-PRS ³ , CPS-A				

Beneficiary's Name:

Key

- GT = Genotype
- TN = Treatment Naïve
- TE = Treatment Experienced
- TE-PR = Treatment Experienced with pegylated interferon + ribavirin (PegINF + RBV)
- TE-PR+PI = Treatment Experienced with PegINF + RBV + PROTEASE INHIBITOR (boceprevir, simeprevir, or telaprevir)
- CPS = Child Pugh Score, can be A, B, or C
- RAV = NS5A resistance-associated polymorphisms, either negative (-) or positive (+) for resistance variants.
- TE-NS5A¹ = prior regimens containing ledipasvir and sofosbuvir or daclatasvir with PegINF + RBV without prior treatment with NS3/4A
- TE-NS3/4A² = regimens contained simeprevir and sofosbuvir, or simeprevir, boceprevir, or telaprevir with PegINF + RBV without prior treatment with an NS5A inhibitor
- TE-PRS³ = regimens containing interferon, pegylated interferon, ribavirin, and/or sofosbuvir, but no prior treatment experience with an HCV NS3/4A PI or NS5A inhibitor.

Note:

- Adherence with prescribed therapy is a condition for payment of continuation therapy for up to the allowed timeframe for each HCV genotype. The beneficiary's Medicaid drug history will be reviewed prior to approval.
- Supporting documentation must be included with PA request. Submitting documentation of the required lab tests for the drug PA request does not constitute Medicaid approval or payment guarantee for any of the lab tests performed.
- If patient is GT-1a, submit lab results from NS5A resistance-associated polymorphism testing. **This information is mandatory for all GT-1a requests.**
- Submit current documentation for all liver function lab test results, such as Platelets, INR, ALT, AST, etc.

CRITERIA

1. Diagnosis:	
---------------	--

Acute Hepatitis C

Chronic Hepatitis C

0	ther	Define Other:	

2. This request is for:

Treatment Naïve

- Treatment Experienced
- 3. If treatment experienced, list all previous drug regimen(s):

4. Th	nis reque	est is for:
-------	-----------	-------------

New	Request
-----	---------

Continuation Request

Ber	eficiary's Name:		
CR	TERIA (CONTINUED)		
5.	Does patient have HIV/HCV or HBV/HCV co-infection?		
	If Yes, select: HIV/HCV HBV/HCV		
	If Yes, treatment of HIV/HCV co-infected patients requires continued attention to the complex drug interactions that can occur between DAAs and antiretroviral medications.		
6.	What is the patient's HCV genotype (GT)? Select one:		
7.	Provide the patient's Child-Pugh or Child-Turcotte-Pugh score (CPS-A, B, or C):		
	Note: Provide labs and chart notes to support CPS-B and CPS-C.		
8.	Provide the patient's Model for End-State Liver Disease (MELD) score:		
9.	Does the patient have any extrahepatic disease manifestations caused by HCV?		
	If Yes, list:		
10.	Does the patient have a history of any of the following? Please mark all that apply.		
	Anemia Mental illness (bipolar, mood swings, mania, schizophrenia)		
	Unstable CVD Autoimmune disease		
	Kidney Transplant Depression, irritability, suicidal ideation		
	Pregnancy Untreated hyperthyroidism		
	Thrombocytopenia Chronic Kidney Disease (Stage 3-Stage 5D)		
	Attachments		
Pre	scriber Signature: Date:		
All	PA requests must be from a hepatologist, gastroenterologist, infectious disease specialist, or a		

All PA requests must be from a hepatologist, gastroenterologist, infectious disease special prescriber working under the direct supervision of one of these specialties.